

All previous prices cancelled.

September, 1954

PRICE LIST

No. 30/454

For List No. 1554

HEART BRAND

NIPPERS PLIERS

NAIL PULLERS

TELEGRAPH TOOLS

HAND VICES

HAND GROOVERS



PINCERS

SEALERS

**WAD and SADDLERS'
PUNCHES**

RIVET SETS

TINMEN'S PUNCHES

WYNN TIMMINS & CO. LTD.

CENTURY WORKS

BIRMINGHAM

ENGLAND

This Price List is subject to a Discount.

Prices and Discounts are subject to revision without notice.

All prices per dozen except as stated.

| Page | | Sizes | 3" | 6" | 7" | 8" | 10" |
|------|--|-------|-------|-------|-------|-------|----------|
| 4 | Electricians Insulated Pliers | | | | | | |
| | High Duty to cut high tensile steel wire | | | | | | |
| | C 194 E Red lustre translucent on a nickel plated plier | — | | 96/- | 102/- | 126/- | 195/- |
| 4 | Water Pump Pliers | | | | | Size | 9½" |
| | C 100 Slip joint, chrome vanadium, plated | | | | | | 150/- |
| | C 101 Rib joint, chrome vanadium, plated | | | | | | 162/- |
| 5 | Electricians Insulated Pliers | Sizes | 3" | 6" | 7" | 8" | 10" |
| | C 191 Red rubber | — | | 111/- | 123/- | 147/- | — |
| | C 192 Heavy Red P.V.C. | — | | 115/- | 127/- | 151/- | — |
| | C 193 Ribbed Red P.V.C. | 99/- | | 84/- | 90/- | 111/- | 180/- |
| 5 | High Duty to cut high tensile steel wire | | | | | | |
| | C 191 E Red Rubber | — | | 113/- | 125/- | 149/- | — |
| | C 192 E Heavy Red P.V.C. | — | | 117/- | 129/- | 153/- | — |
| | C 193 E Ribbed Red P.V.C. | 102/- | | 86/- | 92/- | 113/- | 182/- |
| 6 | Punch Pliers | | | Sizes | 6" | 7" | 10" |
| | C 384 Black | | | | 183/- | 189/- | 321/- |
| 6 | Toggle Joint Cutting Nipper | | | | | Size | 7" |
| | C 1420 | | | | | | 600/- |
| | Spare jaws for ditto | 13/9 | | | | | per pair |
| 7 | Lead Sealers | | | Size | 6" | | |
| | C 1485 | | | | 216/- | | |
| | 300 All steel drop forged | | | | 252/- | | |
| | Spare dies either pattern | | | | 2/6 | | per pair |
| | Engraving dies with one letter, figure or character | | | | 2/3 | | each |
| 7 | Shoe or Lasting Pincers | | | Sizes | 7" | 8" | 9" |
| | C 222 | | | | 114/- | 132/- | 153/- |
| 8 | Engineers' Combination Pliers | Sizes | 3" | 6" | 7" | 8" | 10" |
| | C 198 Black, polished heads | | 84/- | 66/- | 69/- | 84/- | 148/- |
| | All bright | | 102/- | 84/- | 93/- | 108/- | 173/- |
| | Chrome plated | | 108/- | 105/- | 114/- | 129/- | 198/- |
| 8 | High Duty to cut high tensile steel wire | | | | | | |
| | C 198 E Black, polished heads | | 86/- | 68/- | 71/- | 86/- | 150/- |
| | All bright | | 104/- | 86/- | 95/- | 110/- | 175/- |
| | Steel blue handles, polished heads | | 105/- | 87/- | 97/- | 113/- | 182/- |
| | Chrome plated | | 111/- | 107/- | 116/- | 131/- | 200/- |
| 8 | Huntsman's Nipper | | | | Sizes | 6" | 7" |
| | C 218 Black | | | | | 75/- | 85/- |
| 8 | High Duty to cut high tensile steel wire | | | | | | |
| | C 218 E Black | | | | | 77/- | 87/- |
| 8 | Scotch Gas Pliers | Sizes | 4" | 7" | 8" | 9" | 10" |
| | C 245 Black polished heads | — | | 69/- | 78/- | — | 111/- |
| 8 | Champion Gas Pliers | | | | | | |
| | 2538 B Black polished heads | 69/- | — | 69/- | 75/- | — | — |

All prices per dozen except as stated.

Page

| | | | | | | | | |
|----|---|-------------------------------------|-------|-------|-------|-------|-------|-------|
| 9 | Diagonal Cutting Nippers | Sizes | 5" | 6" | 7½" | | | |
| | High Duty to cut high tensile steel wire | | | | | | | |
| | P 201 E | Pointed nose, black, polished heads | 96/- | 105/- | — | | | |
| | | Pointed nose, all bright | 123/- | 136/- | — | | | |
| | 201 E | Round nose, black, polished heads | 90/- | 99/- | — | | | |
| | | Round nose, all bright | 116/- | 130/- | — | | | |
| | 208 E | Heavy duty, black, polished heads | — | — | 138/- | | | |
| | | Heavy duty, all bright | — | — | 168/- | | | |
| | 210 E | Plastic cutting nippers Flush cut | 115/- | 124/- | — | | | |
| 9 | Insulated Diagonal Cutting Nippers | Sizes | 5" | 6" | 7½" | | | |
| | High Duty to cut high tensile steel wire | | | | | | | |
| | P 201 E | Insulated | 111/- | 123/- | — | | | |
| | 201 E | Insulated | 105/- | 117/- | — | | | |
| | 208 E | Insulated | — | — | 156/- | | | |
| 10 | Carpenters' Pincers | Sizes | | 7" | 8" | | | |
| | C 509 | Shouldered Pincer with claw | | 48/- | — | | | |
| | C 510 | Knob and Claw | | 48/- | 54/- | | | |
| | C 511 | Shouldered | | 45/- | 51/- | | | |
| 11 | Top Cutting Nippers | | | | | | | |
| | High Duty to cut high tensile steel wire | | | | | | | |
| | | Sizes | 6" | 7" | 8" | 9" | 10" | 12" |
| | C 858 E | Hercules | — | 210/- | — | 303/- | — | 426/- |
| | C 421 E | Tower | 105/- | 120/- | 132/- | — | 165/- | — |
| | C 878 E | Light | 87/- | — | — | — | — | — |
| 12 | Milliners' or Rosary Pliers | | | | | | Size | 4" |
| | C 1494 | Half Round nose, polished heads | | | | | | 81/- |
| | C 1494 | Half Round nose, all bright | | | | | | 114/- |
| 12 | Revolving Punch Pliers | | | | | | Size | 8" |
| | 575 | Pressed steel | | | | | | 114/- |
| 12 | End Cutting Nipper | | | | | | Size | 6" |
| | High Duty to cut high tensile steel wire | | | | | | | |
| | C 477 E | Black, polished heads | | | | | | 93/- |
| 13 | Flat Nose Pliers | Sizes | 4" | 5" | 6" | | | |
| | C 448 | Black, polished heads | 51/- | 51/- | 57/- | | | |
| | | All bright | 90/- | 90/- | 96/- | | | |
| 13 | Round Nose Pliers | | | | | | | |
| | C 449 | Black, polished heads | 51/- | 51/- | 57/- | | | |
| | | All bright | 81/- | 81/- | 87/- | | | |
| 13 | Linemens' Pliers | Sizes | | 5" | 9" | | | |
| | C 200 | Black, polished heads | | 66/- | 111/- | | | |
| | High Duty to cut high tensile steel wire | | | | | | | |
| | C 200 E | Black, polished heads | | 68/- | 114/- | | | |
| | | Steel blue handles, polished heads | | 98/- | 147/- | | | |
| 14 | Stocking Pliers | | | | | | Size | 6½" |
| | 467 | Black, polished heads | | | | | | 111/- |
| 14 | Radio Pliers | Sizes | | 5½" | 6¾" | | | |
| | 467 B | Black, polished heads | | 66/- | 75/- | | | |
| | | All bright | | 97/- | 113/- | | | |
| 14 | High Duty to cut high tensile steel wire | | | | | | | |
| | 467 BE | Black, polished heads | | 68/- | 77/- | | | |
| | 467 BE | All bright | | 99/- | 115/- | | | |
| | 467 BE | Steel blue handles, polished heads | | 101/- | 117/- | | | |

All prices per dozen except as stated.

Page

| | | | | | |
|----|---|------------------------------------|-------|-------|-------|
| 14 | Insulated Radio Pliers | | Sizes | 5½" | 6¾" |
| | 467 B | Insulated | | 81/- | 93/- |
| | High Duty to | cut high tensile steel wire | | | |
| | 467 BE | Insulated | | 83/- | 95/- |
| 14 | Nail Puller | | Size | 19½" | |
| | C 1402 | Steel knob, captive rammer | | | 252/- |
| | | Plastic knob, captive rammer | | | 252/- |
| 15 | Reed Pliers | | Size | 6¼" | |
| | C 1520 | | | | 105/- |
| 15 | Needle Nose Pliers | | Sizes | 5½" | 6¾" |
| | 467 A | Black, polished heads | | 60/- | 66/- |
| | | All bright | | 91/- | 104/- |
| 15 | Insulated Needle Nose Pliers | | | | |
| | 467 A | Insulated | | 75/- | 84/- |
| 15 | Long Chain Nose Pliers | | Size | 8" | |
| | 469 | Black, polished heads | | | 105/- |
| | 469 | All bright | | | 131/- |
| | High Duty to | cut high tensile steel wire | | | |
| | 469 E | Black, polished heads | | | 107/- |
| | 469 E | All bright | | | 133/- |
| | 469 E | Steel blue handles, polished heads | | | 136/- |
| 15 | Insulated Long Chain Nose Pliers | | | | |
| | 469 | Insulated | | | 123/- |
| | High Duty to | cut high tensile steel wire | | | |
| | 469 E | Insulated | | | 125/- |
| 16 | Combination Fencing Tool | | Size | 10½" | |
| | C 205 | Black, polished head | | | 240/- |
| 17 | Slip Joint Pliers | | Size | 6½" | |
| | C 209 | Black, polished head | | | 51/- |
| | | Nickel plated | | | 60/- |
| 17 | Upholsterers' Pincers | | Sizes | 8" | 8½" |
| | C 1450 | Black | | 204/- | 213/- |
| 17 | Slip Joint Gas Pliers | | Size | 7" | |
| | C 204 | Black, polished jaws | | | 69/- |
| 18 | Glass Pliers | | Sizes | 6" | 8" |
| | K 9306 | Black, polished heads | | 87/- | 130/- |
| 18 | Duckbill Hosiery Pliers | | Size | 7½" | |
| | C 468 | Black, polished heads | | | 135/- |
| | C 468 | All bright | | | 165/- |
| | C 468 | Steel blue handles, polished heads | | | 168/- |
| 18 | Fencing Pliers | | Sizes | 8" | 10" |
| | C 206 | Black, polished heads | | 93/- | 117/- |
| | | | | | 151/- |
| 19 | Cutting and Pulling Pincers | | | | |
| | C 508 E | Black, polished heads | | — | 138/- |

BOX JOINTED TOOLS

| | | | | | |
|----|-------------------------------|------------------------------------|-------|-------|-------|
| 20 | Box Joint Radio Pliers | | Sizes | 5½" | 6¾" |
| | BJ 467 B | Black, polished heads | | 114/- | 120/- |
| | | All bright | | 147/- | 162/- |
| | High Duty to | cut high tensile steel wire | | | |
| | BJ 467 BE | Black, polished heads | | 117/- | 123/- |
| | BJ 467 BE | All bright | | 150/- | 162/- |
| | BJ 467 BE | Steel blue handles, polished heads | | 153/- | 165/- |

All prices per dozen except as stated.

Page

| | | | | |
|----|---|-------|-------------------|-------------------|
| 20 | Insulated Box Joint Radio Pliers | Sizes | 5 $\frac{1}{2}$ " | 6 $\frac{3}{8}$ " |
| | BJ 467 B Insulated | | 132/- | 142/- |
| | High Duty to cut high tensile steel wire | | | |
| | BJ 467 BE Insulated | | 134/- | 144/- |
| 20 | Box Joint Needle Nose Pliers | | | |
| | BJ 467 A Black, polished heads | | 102/- | 108/- |
| | All bright | | 134/- | 148/- |
| 20 | Insulated Box Joint Needle Nose Pliers | | | |
| | BJ 467 A Insulated | | 117/- | 127/- |
| 20 | Box Joint Diagonal Cutting Nippers | Sizes | 5" | 6" |
| | High Duty to cut high tensile steel wire | | | |
| | BJ 201 E Black, polished heads | | 135/- | 147/- |
| | All bright | | 162/- | 180/- |
| | BP 201 E Pointed nose, black polished heads | | 147/- | 159/- |
| | Pointed nose, all bright | | 174/- | 192/- |
| 20 | Insulated Box Joint Diagonal Cutting Nippers | | | |
| | High Duty to cut high tensile steel wire | | | |
| | BJ 201 E Insulated | | 150/- | 165/- |
| | BP 201 E Insulated, pointed nose | | 162/- | 178/- |

TELEGRAPH TOOLS

| | | | | | | | | |
|----|---|-------|------|------|-------|------|-------|------|
| 21 | Wire Straining Vices | Sizes | 4" | 5" | 6" | 8" | 10" | |
| | 3685 | | 49/2 | 58/- | 67/- | 98/3 | 138/3 | each |
| 21 | Hand Vice | | | | Sizes | 4" | 5" | |
| | 516 A Black, bright head | | | | | 8/3 | 9/9 | each |
| 22 | Lions Claw | | | | | | | |
| | C 1423 To take wire up to $\frac{5}{16}$ " | | | | | | 22/3 | each |
| 22 | Dutch Draw Tong | | | | | | | |
| | C 202 To take wire up to $\frac{3}{16}$ " | | | | | | 22/3 | each |
| 22 | Come Along Clamps | | | | | | | |
| | C 1553 To take wire up to $\frac{5}{16}$ " | | | | | | 22/3 | each |
| | C 1553 To take wire up to $\frac{7}{16}$ " | | | | | | 35/9 | each |
| | C 1553 To take wire up to $\frac{5}{8}$ " | | | | | | 49/3 | each |
| 22 | Wire Dog | | | | | | | |
| | C 1448 To take wire up to $\frac{3}{16}$ " | | | | | | 22/3 | each |
| 23 | Bolt Clamp Strainer | | | | | | | |
| | C 1422 For $\frac{3}{8}$ " Cable | | | | | | 62/6 | each |
| | For $\frac{1}{2}$ " Cable | | | | | | 80/3 | each |
| 23 | Double Draw Tongs for Copper Wire | | | | | | | |
| | C 203 D For 100, 150 and 200 lbs. wire | | | | | | 27/6 | each |
| 23 | Light Single Draw Tongs for Copper Wire | | | | | | | |
| | C 203 For 70 — 100 lbs. wire | | | | | | 22/3 | each |
| 24 | Tension Ratchets with Key | | | | | | | |
| | C 201 To indicate up to 170 lbs. | | | | | | 80/3 | each |
| | C 201 To indicate up to 400 lbs. | | | | | | 156/- | each |
| | C 201 To indicate up to 650 lbs. | | | | | | 244/9 | each |
| 24 | Straining Ratchet, Light with Hook and Key | | | | | | | |
| | C 207 | | | | | | 24/6 | each |
| 24 | Heavy Straining Ratchet with Eye and Key | | | | | | | |
| | C 207 H | | | | | | 35/9 | each |
| | C 207 HX Ditto, extra heavy | | | | | | 71/3 | each |

PUNCHES

Page

25

Wad Punches

846 E

| | | | | | | | |
|-------|------------------|------------------|------------------|------------------|------------------|------------------|------------------|
| Sizes | $\frac{1}{4}$ " | $\frac{5}{16}$ " | $\frac{3}{8}$ " | $\frac{7}{16}$ " | $\frac{1}{2}$ " | $\frac{5}{8}$ " | $\frac{3}{4}$ " |
| | 37/9 | 37/9 | 37/9 | 44/- | 44/- | 52/6 | 56/3 doz. |
| Sizes | $\frac{7}{8}$ " | 1" | $1\frac{1}{8}$ " | $1\frac{1}{4}$ " | $1\frac{3}{8}$ " | $1\frac{1}{2}$ " | $1\frac{5}{8}$ " |
| | 69/3 | 82/- | 135/6 | 135/6 | 163/9 | 163/9 | 233/- doz. |
| Sizes | $1\frac{3}{4}$ " | $1\frac{7}{8}$ " | 2" | $2\frac{1}{8}$ " | $2\frac{1}{4}$ " | $2\frac{3}{8}$ " | $2\frac{1}{2}$ " |
| | 233/- | 299/- | 324/- | 324/- | 532/- | 532/- | 532/- doz. |
| | | | | | Sizes | $2\frac{3}{8}$ " | $2\frac{3}{4}$ " |
| | | | | | | 618/- | 618/- doz. |
| Sizes | $2\frac{7}{8}$ " | 3" | $3\frac{1}{4}$ " | $3\frac{1}{2}$ " | $3\frac{3}{4}$ " | 4" | |
| | 104/- | 108/- | 112/- | 116/- | 120/- | 124/- | each |

25 Band Punches

820 E

| | | | | | | | |
|-------|-------------------|------------------|------------------|-------------------|------------------|-------------------|-------------------|
| Sizes | $\frac{1}{8}$ " | $\frac{5}{32}$ " | $\frac{3}{16}$ " | $\frac{7}{32}$ " | $\frac{1}{4}$ " | $\frac{9}{32}$ " | $\frac{5}{16}$ " |
| | 16/9 | 16/9 | 18/- | 19/- | 22/- | 22/- | 24/3 doz. |
| Sizes | $\frac{11}{32}$ " | $\frac{3}{8}$ " | $\frac{7}{16}$ " | $\frac{1}{2}$ " | $\frac{9}{16}$ " | $\frac{5}{8}$ " | $\frac{11}{16}$ " |
| | 25/3 | 25/3 | 28/6 | 28/6 | 34/6 | 40/- | 41/- doz. |
| | | Sizes | $\frac{3}{4}$ " | $\frac{13}{16}$ " | $\frac{7}{8}$ " | $\frac{15}{16}$ " | 1" |
| | | | 47/3 | 53/6 | 53/6 | 56/9 | 72/6 doz. |

TINMENS' TOOLS

26 Rivet Sets

48

| | | | | | | | |
|------------------|-------------------------------------|--|--|--|--|--|------------|
| Nos. 1 — 12, or | $\frac{1}{16}$ " — $\frac{3}{16}$ " | | | | | | 39/- doz. |
| Nos. 13 — 18, or | $\frac{7}{32}$ " — $\frac{1}{4}$ " | | | | | | 46/- doz. |
| Nos. 19 — 21, or | $\frac{9}{32}$ " — $\frac{3}{8}$ " | | | | | | 69/- doz. |
| | $\frac{7}{16}$ " — $\frac{1}{2}$ " | | | | | | 180/- doz. |

26 Hand Groovers

49

| | | | | | | | | |
|-------|-----------------|------------------|-------------------|------------------|-------------------|------------------|-------------------|-----------------|
| Sizes | $\frac{1}{8}$ " | $\frac{3}{16}$ " | & $\frac{1}{4}$ " | $\frac{5}{16}$ " | & $\frac{3}{8}$ " | $\frac{7}{16}$ " | & $\frac{1}{2}$ " | $\frac{5}{8}$ " |
| | 73/6 | | | 92/- | | 124/- | | 174/- doz. |

26 Hollow Punches

45

| | | | | | | | |
|-------|------------------|--------------------|-------------------|--------------------|-------------------|-------------------|-------------------|
| Sizes | $\frac{1}{8}$ " | & $\frac{3}{16}$ " | $\frac{1}{4}$ " | & $\frac{5}{16}$ " | $\frac{3}{8}$ " | $\frac{7}{16}$ " | & $\frac{1}{2}$ " |
| | 32/6 | | 34/6 | | 40/6 | | 44/- doz. |
| Sizes | $\frac{9}{16}$ " | & $\frac{5}{8}$ " | $\frac{11}{16}$ " | & $\frac{3}{4}$ " | $\frac{13}{16}$ " | & $\frac{7}{8}$ " | 1" |
| | 52/- | | 63/- | | 69/- | | 96/- doz. |
| Sizes | $1\frac{1}{8}$ " | $1\frac{1}{4}$ " | $1\frac{3}{8}$ " | $1\frac{1}{2}$ " | $1\frac{5}{8}$ " | | |
| | 111/- | 126/- | 150/- | 175/- | 204/- | | doz. |
| Sizes | $1\frac{3}{4}$ " | $1\frac{7}{8}$ " | 2" | $2\frac{1}{8}$ " | $2\frac{1}{4}$ " | | |
| | 240/- | 276/- | 318/- | 369/- | 423/- | | doz. |
| | | | | Sizes | $2\frac{3}{8}$ " | $2\frac{1}{2}$ " | |
| | | | | | 483/- | 564/- | doz. |

GUARANTEE

All Tools are inspected during manufacture and before final cartoning or boxing. Any tool proving defective will be replaced if not subjected to misuse.

TERMS

Minimum carriage paid lots: England £20. Export delivered F.O.B. on £20. Strictly net monthly account, packing free, cases extra at cost.